

Eurofins Polska Sp. z o.o.
ul. Dubois 118D
93-465 Łódź
POLAND
www.eurofins.pl



AB 1334

SFD S.A.
ul. Głogowska 41
45-315 Opole
POLSKA

Issue date 14.03.2022

Analytical report AR-22-E8-015503-01



Sample code 297-2022-00021459

x Type of sample	ALLNUTRITION Choco Nut 500 ml 005-32419-2851052
x Prescriber	SFD S.A.
x Purchase order date	24.02.2022
x Client Purchase order nr.	1
Reception date	08.03.2022
Transport by	Courier
Sample condition	acceptable
Transport condition	at ambient temp.
x Sampling Person	principal
x Type of sampling	to guarantee its representativeness
x Purpose of the testing	fulfillment of legal requirements
Client sample code	9
x Best before date	26.01.2023
x Batch number	L.106.01.22.CHO.HAZ
x Packaging	manufacturer packaging
Number of tested samples	1
Start analysis	08.03.2022
End Analysis	12.03.2022

Results / Outcomes

UM2PF	Salmonella D Abs Pres /25 g ISO 6579 (A)	
Method	PN-EN ISO 6579-1:2017-04+A1:2020-09, D-Cultural technique (non-chromogenic media)	
Salmonella	Not Detected	/25 g
UMIMW	Coagulase positive Staphylococcus D Abs Pres /1 g ISO 6888-3 (A)	
Method	PN-EN ISO 6888-3:2004+AC:2005, D-Cultural technique (MPN tubes)	
Coagulase positive Staphylococcus	Not Detected	/1 g
UMLS5	Escherichia coli D Abs Pres /1 g ISO 7251 (A)	
Method	PN-ISO 7251:2006, D-Cultural technique (MPN tubes)	
Escherichia Coli	Not Detected	/1 g
UMULJ	Enterobacteriaceae 37°C <10 >3000000 /g 4 (1-4) VRBD Agar-P-37 ISO 21528-2 (A)	
Method	PN-EN ISO 21528-2:2017-08, E-Cultural technique (non-chromogenic media)	
Enterobacteriaceae 37°C	< 10	cfu/g
ZM02A	Yeasts & Moulds E [PB/MBK/40] <10 >1 500 000 /g (1-4) PYM-PF 3M™ Petrifilm™ Rapid Yeast and Mold Cou (A)	
Method	3M™ Petrifilm™ Rapid Yeast and Mold Count Plates, E-Cultural technique (media film)	
Yeast & Moulds	< 10	cfu/g

A = Method accredited

x = Data provided by the customer

Piestrzyńska

Justyna Nowak

Authorized by: Agnieszka Piestrzyńska
Junior Assistant

Justyna Nowak Approved by:
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

Eurofins Polska Sp. z o.o.
ul. Dubois 118D
93-465 Łódź
POLAND
www.eurofins.pl



AB 1334

SFD S.A.
ul. Głogowska 41
45-315 Opole
POLSKA

Issue date 14.03.2022

Analytical report AR-22-E8-015505-01



Sample code 297-2022-00021463

x Type of sample	ALLNUTRITION Sauce 500 ml coconut 005-32419-2851054
x Prescriber	SFD S.A.
x Purchase order date	24.02.2022
x Client Purchase order nr.	1
Reception date	08.03.2022
Transport by	Courier
Sample condition	acceptable
Transport condition	at ambient temp.
x Sampling Person	principal
x Type of sampling	to guarantee its representativeness
x Purpose of the testing	fulfillment of legal requirements
Client sample code	11
x Best before date	16.12.2022
x Batch number	L.2882.12.21.COC.ALM
x Packaging	manufacturer packaging
Number of tested samples	1
Start analysis	08.03.2022
End Analysis	12.03.2022

Results / Outcomes

UM2PF	Salmonella D Abs Pres /25 g ISO 6579 (A)	
Method	PN-EN ISO 6579-1:2017-04+A1:2020-09, D-Cultural technique (non-chromogenic media)	
Salmonella	Not Detected	/25 g
UMIMW	Coagulase positive Staphylococcus D Abs Pres /1 g ISO 6888-3 (A)	
Method	PN-EN ISO 6888-3:2004+AC:2005, D-Cultural technique (MPN tubes)	
Coagulase positive Staphylococcus	Not Detected	/1 g
UMLS5	Escherichia coli D Abs Pres /1 g ISO 7251 (A)	
Method	PN-ISO 7251:2006, D-Cultural technique (MPN tubes)	
Escherichia Coli	Not Detected	/1 g
UMULJ	Enterobacteriaceae 37°C <10 >3000000 /g 4 (1-4) VRBD Agar-P-37 ISO 21528-2 (A)	
Method	PN-EN ISO 21528-2:2017-08, E-Cultural technique (non-chromogenic media)	
Enterobacteriaceae 37°C	< 10	cfu/g
ZM02A	Yeasts & Moulds E [PB/MBK/40] <10 >1 500 000 /g (1-4) PYM-PF 3M™ Petrifilm™ Rapid Yeast and Mold Cou (A)	
Method	3M™ Petrifilm™ Rapid Yeast and Mold Count Plates, E-Cultural technique (media film)	
Yeast & Moulds	< 10	cfu/g

A = Method accredited

x = Data provided by the customer

Piestrzyńska

Justyna Nowak

Authorized by: Agnieszka Piestrzyńska
Junior Assistant

Justyna Nowak Approved by:
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

Eurofins Polska Sp. z o.o.
ul. Dubois 118D
93-465 Łódź
POLAND
www.eurofins.pl



AB 1334

SFD S.A.
ul. Głogowska 41
45-315 Opole
POLSKA

Issue date 14.03.2022

Analytical report AR-22-E8-015506-01



Sample code 297-2022-00021465

x Type of sample	ALLNUTRITION Sauce 500 ml creamy toffee 005-32419-2851055
x Prescriber	SFD S.A.
x Purchase order date	24.02.2022
x Client Purchase order nr.	1
Reception date	08.03.2022
Transport by	Courier
Sample condition	acceptable
Transport condition	at ambient temp.
x Sampling Person	principal
x Type of sampling	to guarantee its representativeness
x Purpose of the testing	fulfillment of legal requirements
Client sample code	12
x Best before date	17.07.2022
x Batch number	17.07.2022.96.2022
x Packaging	manufacturer packaging
Number of tested samples	1
Start analysis	08.03.2022
End Analysis	12.03.2022

Results / Outcomes

UM2PF	Salmonella D Abs Pres /25 g ISO 6579 (A)	
Method	PN-EN ISO 6579-1:2017-04+A1:2020-09, D-Cultural technique (non-chromogenic media)	
Salmonella	Not Detected	/25 g
UMIMW	Coagulase positive Staphylococcus D Abs Pres /1 g ISO 6888-3 (A)	
Method	PN-EN ISO 6888-3:2004+AC:2005, D-Cultural technique (MPN tubes)	
Coagulase positive Staphylococcus	Not Detected	/1 g
UMLS5	Escherichia coli D Abs Pres /1 g ISO 7251 (A)	
Method	PN-ISO 7251:2006, D-Cultural technique (MPN tubes)	
Escherichia Coli	Not Detected	/1 g
UMULJ	Enterobacteriaceae 37°C <10 >3000000 /g 4 (1-4) VRBD Agar-P-37 ISO 21528-2 (A)	
Method	PN-EN ISO 21528-2:2017-08, E-Cultural technique (non-chromogenic media)	
Enterobacteriaceae 37°C	< 10	cfu/g
ZM02A	Yeasts & Moulds E [PB/MBK/40] <10 >1 500 000 /g (1-4) PYM-PF 3M™ Petrifilm™ Rapid Yeast and Mold Cou (A)	
Method	3M™ Petrifilm™ Rapid Yeast and Mold Count Plates, E-Cultural technique (media film)	
Yeast & Moulds	< 10	cfu/g

A = Method accredited

x = Data provided by the customer

Piestrzyńska

Justyna Nowak

Authorized by: Agnieszka Piestrzyńska
Junior Assistant

Justyna Nowak Approved by:
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

Eurofins Polska Sp. z o.o.
ul. Dubois 118D
93-465 Łódź
POLAND
www.eurofins.pl



AB 1334

SFD S.A.
ul. Głogowska 41
45-315 Opole
POLSKA

Issue date 14.03.2022

Analytical report AR-22-E8-015502-01



Sample code 297-2022-00021457

x Type of sample	ALLNUTRITION Choco Balls 500 ml 005-32419-2851051
x Prescriber	SFD S.A.
x Purchase order date	24.02.2022
x Client Purchase order nr.	1
Reception date	08.03.2022
Transport by	Courier
Sample condition	acceptable
Transport condition	at ambient temp.
x Sampling Person	principal
x Type of sampling	to guarantee its representativeness
x Purpose of the testing	fulfillment of legal requirements
Client sample code	8
x Best before date	07.10.2022
x Batch number	L2437.10.21.MIL.COC
x Packaging	manufacturer packaging
Number of tested samples	1
Start analysis	08.03.2022
End Analysis	12.03.2022

Results / Outcomes

UM2PF	Salmonella D Abs Pres /25 g ISO 6579 (A)	
Method	PN-EN ISO 6579-1:2017-04+A1:2020-09, D-Cultural technique (non-chromogenic media)	
Salmonella	Not Detected	/25 g
UMIMW	Coagulase positive Staphylococcus D Abs Pres /1 g ISO 6888-3 (A)	
Method	PN-EN ISO 6888-3:2004+AC:2005, D-Cultural technique (MPN tubes)	
Coagulase positive Staphylococcus	Not Detected	/1 g
UMLS5	Escherichia coli D Abs Pres /1 g ISO 7251 (A)	
Method	PN-ISO 7251:2006, D-Cultural technique (MPN tubes)	
Escherichia Coli	Not Detected	/1 g
UMULJ	Enterobacteriaceae 37°C <10 >3000000 /g 4 (1-4) VRBD Agar-P-37 ISO 21528-2 (A)	
Method	PN-EN ISO 21528-2:2017-08, E-Cultural technique (non-chromogenic media)	
Enterobacteriaceae 37°C	< 10	cfu/g
ZM02A	Yeasts & Moulds E [PB/MBK/40] <10 >1 500 000 /g (1-4) PYM-PF 3M™ Petrifilm™ Rapid Yeast and Mold Cou (A)	
Method	3M™ Petrifilm™ Rapid Yeast and Mold Count Plates, E-Cultural technique (media film)	
Yeast & Moulds	< 10	cfu/g

A = Method accredited

x = Data provided by the customer

Piestrzyńska

Justyna Nowak

Authorized by: Agnieszka Piestrzyńska
Junior Assistant

Justyna Nowak Approved by:
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

Eurofins Polska Sp. z o.o.
ul. Dubois 118D
93-465 Łódź
POLAND
www.eurofins.pl



AB 1334

SFD S.A.
ul. Głogowska 41
45-315 Opole
POLSKA

Issue date 14.03.2022

Analytical report AR-22-E8-015501-01



Sample code 297-2022-00021455

x Type of sample	ALLNUTRITION Sauce Choco Cookie 500 ml 005-32419-2851050
x Prescriber	SFD S.A.
x Purchase order date	24.02.2022
x Client Purchase order nr.	1
Reception date	08.03.2022
Transport by	Courier
Sample condition	acceptable
Transport condition	at ambient temp.
x Sampling Person	principal
x Type of sampling	to guarantee its representativeness
x Purpose of the testing	fulfillment of legal requirements
Client sample code	7
x Best before date	14.01.2023
x Batch number	21/01/22.ChOCOO
x Packaging	manufacturer packaging
Number of tested samples	1
Start analysis	08.03.2022
End Analysis	12.03.2022

Results / Outcomes

UM2PF	Salmonella D Abs Pres /25 g ISO 6579 (A)	
Method	PN-EN ISO 6579-1:2017-04+A1:2020-09, D-Cultural technique (non-chromogenic media)	
Salmonella	Not Detected	/25 g
UMIMW	Coagulase positive Staphylococcus D Abs Pres /1 g ISO 6888-3 (A)	
Method	PN-EN ISO 6888-3:2004+AC:2005, D-Cultural technique (MPN tubes)	
Coagulase positive Staphylococcus	Not Detected	/1 g
UMLS5	Escherichia coli D Abs Pres /1 g ISO 7251 (A)	
Method	PN-ISO 7251:2006, D-Cultural technique (MPN tubes)	
Escherichia Coli	Not Detected	/1 g
UMULJ	Enterobacteriaceae 37°C <10 >3000000 /g 4 (1-4) VRBD Agar-P-37 ISO 21528-2 (A)	
Method	PN-EN ISO 21528-2:2017-08, E-Cultural technique (non-chromogenic media)	
Enterobacteriaceae 37°C	< 10	cfu/g
ZM02A	Yeasts & Moulds E [PB/MBK/40] <10 >1 500 000 /g (1-4) PYM-PF 3M™ Petrifilm™ Rapid Yeast and Mold Cou (A)	
Method	3M™ Petrifilm™ Rapid Yeast and Mold Count Plates, E-Cultural technique (media film)	
Yeast & Moulds	< 10	cfu/g

A = Method accredited

x = Data provided by the customer

Piestrzyńska

Justyna Nowak

Authorized by: Agnieszka Piestrzyńska
Junior Assistant

Justyna Nowak Approved by:
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

Eurofins Polska Sp. z o.o.
ul. Dubois 118D
93-465 Łódź
POLAND
www.eurofins.pl



AB 1334

SFD S.A.
ul. Głogowska 41
45-315 Opole
POLSKA

Issue date 14.03.2022

Analytical report AR-22-E8-015507-01



Sample code 297-2022-00021467

x Type of sample	ALLNUTRITION Sauce 500 ml vanilla 005-32419-2851056
x Prescriber	SFD S.A.
x Purchase order date	24.02.2022
x Client Purchase order nr.	1
Reception date	08.03.2022
Transport by	Courier
Sample condition	acceptable
Transport condition	at ambient temp.
x Sampling Person	principal
x Type of sampling	to guarantee its representativeness
x Purpose of the testing	fulfillment of legal requirements
Client sample code	13
x Best before date	17.01.2023
x Batch number	43.01.22.VAN
x Packaging	manufacturer packaging
Number of tested samples	1
Start analysis	08.03.2022
End Analysis	12.03.2022

Results / Outcomes

UM2PF	Salmonella D Abs Pres /25 g ISO 6579 (A)	
Method	PN-EN ISO 6579-1:2017-04+A1:2020-09, D-Cultural technique (non-chromogenic media)	
Salmonella	Not Detected	/25 g
UMIMW	Coagulase positive Staphylococcus D Abs Pres /1 g ISO 6888-3 (A)	
Method	PN-EN ISO 6888-3:2004+AC:2005, D-Cultural technique (MPN tubes)	
Coagulase positive Staphylococcus	Not Detected	/1 g
UMLS5	Escherichia coli D Abs Pres /1 g ISO 7251 (A)	
Method	PN-ISO 7251:2006, D-Cultural technique (MPN tubes)	
Escherichia Coli	Not Detected	/1 g
UMULJ	Enterobacteriaceae 37°C <10 >3000000 /g 4 (1-4) VRBD Agar-P-37 ISO 21528-2 (A)	
Method	PN-EN ISO 21528-2:2017-08, E-Cultural technique (non-chromogenic media)	
Enterobacteriaceae 37°C	< 10	cfu/g
ZM02A	Yeasts & Moulds E [PB/MBK/40] <10 >1 500 000 /g (1-4) PYM-PF 3M™ Petrifilm™ Rapid Yeast and Mold Cou (A)	
Method	3M™ Petrifilm™ Rapid Yeast and Mold Count Plates, E-Cultural technique (media film)	
Yeast & Moulds	< 10	cfu/g

A = Method accredited

x = Data provided by the customer

Piestrzyńska

Justyna Nowak

Authorized by: Agnieszka Piestrzyńska
Junior Assistant

Justyna Nowak Approved by:
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.